




**schw. 1,4401 X5CrNiMo 316 High polished
LED Einbaustr. 1W IP65 Eckig o.Konverter**
Article nr.: R57563HPWWOK

for indoor and outdoor use, IP65 · · housing: stainless steel · housing color: high polish · swivel · beam angle: 20° · power: 1 W · light color: 3000 K · luminous flux: 118 lm · CRI: >80 · lifetime L70: >= 36.000 h · input: 350 mA DC · protection class III · · installation depth: 35 mm · ceiling cut-out: 50 mm · outer dimensions: 60 x 60 mm · energie efficiency class: A++ · not included LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094376301
Housing colour	poliert
Length	60.00 mm
Width	60.00 mm
Height	28.00 mm
Hole size	50 mm
Depth in ceiling	35.00 mm
LED colour	WW ca. 3000K
Lightoutput per fixture	118.00 lm






**schw. 1,4401 X5CrNiMo 316 High polished
LED Einbaustr. 1W IP65 Eckig o.Konverter**
Article nr.: R57563HPWWOK

TECHNICAL DATA

Lamp	Inklusive LED
IP rating	65
Power	1 W
Current mA	350 mA
Lamp base	ohne
Material	Gehäuse Edelstahl
Temperature range	-30 - 40
Energy efficiency class	A++
CRI	≥ 80





**schw. 1,4401 X5CrNiMo 316 High polished
LED Einbaustr. 1W IP65 Eckig o.Konverter**
Article nr.: R57563HPWWOK

TECHNICAL DRAWING

